

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	33028	713/150-151,153-155,162-163,189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229.ccls. or 380/2,225,257,259,264.ccls. or 370/351-357,360.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:21
S2	13954	S1 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:47
S3	369061	(terminal or computer) with (switch\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:13
S4	525	S3 and ((connector or port) with (id or address or identif\$7) with (key or encipher\$3 or encrypt\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:14
S5	133	S4 and (encipher\$3 or encrypt\$3) with (input or key board or (key adj\$1 code))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:15
S6	58	S5 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:15
S7	24	S6 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:15
S8	16	S7 and ((rout\$3 or identify\$3) with (data or input or destination or port))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:24

EAST Search History

S9	1	S8 and (kvm or (keyboard with video with mouse))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:12
S10	128323	((serial adj\$1 number) or (identifier or identification)) with (key or encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:29
S11	2532	S10 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:25
S12	57	S11 and (kvm or (keyboard with video with mouse))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:42
S13	34	S12 and ((serial adj\$1 number) or (identifier or identification)) with (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:33
S14	1	S13 and ((kvm or (keyboard with video with mouse)) with switch)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:28
S15	466	((kvm or (keyboard with video with mouse)) with switch)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:28
S16	104	S15 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:29

EAST Search History

S17	2	S16 and ((serial adj\$1 number) or (identifier or identification)) with (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:25
S18	355	(identifier or address) with (connector or port) with (encipher\$3 or encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:33
S19	94	S18 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:39
S20	129119	(rout\$3 with data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:40
S21	38	S20 and (intermediate adj connector)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:40
S22	0	S21 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:40
S23	16	S21 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:42
S24	1	S23 and S10	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:40

EAST Search History

S25	162	S15 and connector	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:42
S26	20	S25 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:47
S27	2	S26 and (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:43
S28	31	(kvm adj switch) and (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:47
S29	4	S28 and @ad<"20021130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:52
S30	1370	(switch with (address or identifier) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:53
S31	912	S30 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:53
S32	29	S31 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:05

EAST Search History

S33	5622	(gateway with rout\$3) with (data or packet)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:06
S34	46	S33 and (gateway with (public adj key))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:08
S35	13	S34 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:23
S36	28	S33 and (gateway with (private adj key))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:08
S37	9	S36 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:08
S38	1427	(public adj key) with (identifier)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:23
S39	415	S38 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:23
S40	14	S39 and (kvm)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:24

EAST Search History

S41	279	S39 and ((serial adj\$1 number) or (identifier or identification)) with (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:25
S42	42	S41 and ((data or packet) with (rout\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:30
S43	197	(us\$3 or utiliz\$3) with (identifer or (serial adj number)) near (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:32
S44	0	S43 and S16	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:32
S45	96	S43 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:36
S46	0	S45 and ((gateway or connector) with (rout\$3) with (data or packet))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:33
S47	209	kvm adj switch	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:36
S48	209	S47 and 2ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:40

EAST Search History

S49	31	S48 and (kvm near (connector or port))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:40
S50	24	S49 and ((connector or port) with (id or identifier or identification or (serial adj\$1 number)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:41
S51	6	S50 and (encrypt\$3 or encipher\$3 or cryptograph\$7)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:40
S52	34	S47 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:41
S53	5	S52 and (kvm near (connector or port))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:40
S54	0	S53 and (encrypt\$3 or encipher\$3 or cryptograph\$7)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:40
S55	1	S52 and (encrypt\$3 or encipher\$3 or cryptograph\$7)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:40
S56	265352	((connector or port) with (address or id or identifier or identification or (serial adj\$1 number)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:42

EAST Search History

S57	102040	S56 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:41
S58	1825	S57 and ((encrypt\$3 or encipher\$3 or cryptograph\$7) with (address or id or identifier or identification or (serial adj\$1 number)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:43
S59	1285	S58 and (gateway or switch or router)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:43
S60	386	S59 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:44
S61	197	S60 and terminal	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 15:44
S62	2	"6308239".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:22
S63	2	"6407773".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 16:22
S64	3677	(rotat\$3 or encrypt\$3 or encipher\$3) with (identifier or identification) with (number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:45

EAST Search History

S65	33028	713/150-151,153-155,162-163,189. ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229.ccls. or 380/2,225,257,259,264.ccls. or 370/351-357,360.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:18
S66	13954	S65 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:22
S67	163	S64 and S66	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:41
S68	42	switch with (us\$3) with (id or identification or address) with (encipher\$3 or encrypt\$3) with (packet or data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:44
S69	12	S68 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:45
S70	42	gateway with (us\$3) with (id or identification or address) with (encipher\$3 or encrypt\$3) with (packet or data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:44
S71	2882	(rotat\$3 or encrypt\$3 or encipher\$3) with (port) with (number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:46
S72	9	S70 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:46

EAST Search History

S73	1131	S71 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:53
S74	0	(rotat\$3 or shift) adj by adj (port) with (address or identification or identifier or number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:47
S75	0	(rotat\$3 or shift) adj by adj (port or connector) with (address or identification or identifier or number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:47
S76	0	(rotat\$3 or shift) adj by adj (port or connect\$3) with (address or identification or identifier or number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:48
S77	0	(rotat\$3 or shift) adj by adj (address or identification or identifier or number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:48
S78	205	S73 and shift	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:49
S79	76	S73 and (shift with data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:52
S80	8	(shift\$3 or rotat\$3) with by with (id or identifier or identification or (serial adj number))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:56

EAST Search History

S81	0	S80 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:53
S82	79	380/258.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 18:57
S83	38	380/56-57.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:11
S84	22	(smart adj card) with (identifier) with (encrypt\$3 or encipher) with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:12
S85	1	S84 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:12
S86	151	(smart adj card) with (identifier or (serial adj\$1 number)) with (encrypt\$3 or encipher) with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:12
S87	59	S86 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:17
S88	2998	(gateway or switch) with (port or address) with (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:17

EAST Search History

S89	1596	S88 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:17
S90	70	S89 and S65	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/18 19:18
S91	9	("5721842" or "6473811" or "6557170" or "5675653").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/19 15:32
S92	1	"7039810".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:23
S93	16622	(port or address or switch) with (number or id or identification) with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:24
S94	38649	713/150-151,153-155,162-163,189.ccls. or 726/2-6.ccls. or 709/217-218,220-225,227-229.ccls. or 380/2,225,257,259,264.ccls. or 370/351-357,360.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:24
S95	14619	S94 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:57
S96	59	S95 and (switch with (shared with (node or computer or device)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:25

EAST Search History

S97	6	S96 and (private with (computer or node or device))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:32
S98	304346	switch\$3 with terminal	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:33
S99	157603	S98 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:34
S10 0	11	S99 and (private adj (computer or node or device))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:35
S10 1	10	S99 and (kvm adj switch\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:38
S10 2	274	(kvm adj switch\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 14:00
S10 3	0	S102 and (private adj (computer or node))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:38
S10 4	7	S102 and (private with (computer or node))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:38

EAST Search History

S10 5	0	S104 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:38
S10 6	38	S102 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 14:03
S10 7	1	S106 and (encipher\$3 or encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:39
S10 8	2845	switch with (remote or shared) with computer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:56
S10 9	1423	S108 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:56
S11 0	2	S109 and (private adj computer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:56
S11 1	38	380/56-57.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:59
S11 2	28	725/150.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 13:59

EAST Search History

S11 4	155	710/73.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/19 14:04
S11 5	939	(kvm or (keyboard with video with mouse)) and ((address\$3 or id or identification or serial) with (key or encipher\$3 or encrypt\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:12
S11 6	309	S115 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:33
S11 7	25	S116 and (rotat\$3 or shift\$3) with (bit or byte)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:20
S11 8	0	395/311.ccls. and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:46
S11 9	105	key with ((port or connector) adj (id or identification))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:57
S12 0	32	S119 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:00
S12 1	127	key with ((hardware) adj (id or identification))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 09:57

EAST Search History

S12 2	28	S121 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:00
S12 3	84	rotat\$3 with bit with encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:00
S12 4	47	S123 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:02
S12 5	37	(kvm adj switch) and (encrypt\$3 or encipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:02
S12 6	1	S125 and @ad<"20001130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 10:02

Set	Items	Description
S1	292641	S (ACCESS??? OR USE OR USING OR USED OR UTILI?????? OR LOGON OR (LOG????()ON) OR SECURITY OR VALID????? OR AUTHORI??????) (5N) (COMPUTER? ? OR PC? ? OR SERVER? ?)
S2	13744	S (SHIFT??? OR MOVE OR MOVING OR MOVED) (5N) (BIT? ? OR BYTE? ?)
S3	37797	S (TERMINAL? ? OR WORKSTATION? ? OR WORK()STATION? ?) (3N) (IDENTIFIER? ? OR SERIAL? ? OR TAG? ? OR NUMBER? ? OR CODE? ?)
S4	1	S S1 AND S2 AND S3
S5	158	S (S2 AND S3) NOT S4
S6	145	S S5 NOT (AD=(19991130:20021130) OR AD=(20021201:20061120))
S7	2	S AU=((SEKI F? OR SEKI, F?) AND (SUGINO H? OR SUGINO, H?) AND (NAKAZAWA M? OR NAKAZAWA, M?) AND (MIYATSU K? OR MIYATSU, K?))
S8	137	S (AU=(SEKI F? OR SEKI, F? OR SUGINO H? OR SUGINO, H? OR NAKAZAWA M? OR NAKAZAWA, M? OR MIYATSU K? OR MIYATSU, K?) AND IC=(G06F OR H04L)) NOT (S4 OR AD=(19991130:20021130) OR AD=(20021201:20061120))
S9	25	S S8 AND (TERMINAL? ? OR WORKSTATION? ? OR WORK()STATION? ? OR SWITCH? ?)
S10	3	S (S6 AND (MC=T01 OR MC=W01 OR IC=(G06F-003/00 OR H04L-009/00))) NOT (S4 OR S7 OR S9)
S11	33	S (S6 AND (SWITCH??? OR TOGGLE? ? OR TOGGL??? OR (FLIP()FLOP???))) NOT (S4 OR S7 OR S9:S10)

? show files

[File 347] **JAPIO** Dec 1976-2006/Jul(Updated 061116)

(c) 2006 JPO & JAPIO. All rights reserved.

[File 350] **Derwent WPIX** 1963-2006/UD=200674

(c) 2006 The Thomson Corporation. All rights reserved.

**File 350: DWPI has been enhanced to extend content and functionality of the database. For more info, visit <http://www.dialog.com/dwpi/>.*

?

Set	Items	Description
S1	1554997	S ((ACCESS??? OR USE OR USING OR USED OR UTILI?????? OR LOGON OR (LOG????()ON) OR SECURITY OR VALID?????? OR AUTHORI??????) (5N) (COMPUTER? ? OR PC? ? OR SERVER? ?)) OR (KVM? ? OR SWITCH??? OR TOGGLE? ? OR TOGGL??? OR (FLIP()FLOP????))
S2	7957	S (SHIFT??? OR MOVE OR MOVING OR MOVED) (5N) (BIT? ? OR BYTE? ?)
S3	10264	S (TERMINAL? ? OR WORKSTATION? ? OR WORK()STATION? ?) (3N) (IDENTIFIER? ? OR SERIAL? ? OR TAG? ? OR NUMBER? ? OR CODE? ?)
S4	0	S S1 AND S2 AND S3
S5	9	S S2 AND S3
S6	0	S AU=((SEKI F? OR SEKI, F?) AND (SUGINO H? OR SUGINO, H?) AND (NAKAZAWA M? OR NAKAZAWA, M?) AND (MIYATSU K? OR MIYATSU, K?))
S7	6328	S (AU=(SEKI F? OR SEKI, F? OR SUGINO H? OR SUGINO, H? OR NAKAZAWA M? OR NAKAZAWA, M? OR MIYATSU K? OR MIYATSU, K?) AND (PY<2000 OR PD<19991130)) NOT S5
S8	263	S S7 AND (TERMINAL? ? OR WORKSTATION? ? OR WORK()STATION? ? OR SWITCH??? OR TOGGLE? ? OR TOGGL??? OR (FLIP()FLOP????))
S9	244	S S7 AND (TERMINAL? ? OR SWITCH??? OR TOGGLE? ? OR TOGGL??? OR (FLIP()FLOP????))
S10	150	RD (unique items)

? show files

[File 2] **INSPEC 1898-2006/Nov W2**

(c) 2006 Institution of Electrical Engineers. All rights reserved.

[File 6] **NTIS 1964-2006/Nov W1**

(c) 2006 NTIS, Intl Cpyrght All Rights Res. All rights reserved.

[File 8] **Ei Compendex(R) 1884-2006/Nov W1**

(c) 2006 Elsevier Eng. Info. Inc. All rights reserved.

**File 8: The file has been reprocessed and accession numbers have changed. See HELP NEWS988 for details.*

[File 34] **SciSearch(R) Cited Ref Sci 1990-2006/Nov W2**

(c) 2006 The Thomson Corp. All rights reserved.

[File 35] **Dissertation Abs Online 1861-2006/Oct**

(c) 2006 ProQuest Info&Learning. All rights reserved.

[File 56] **Computer and Information Systems Abstracts 1966-2006/Nov**

(c) 2006 CSA. All rights reserved.

[File 57] **Electronics & Communications Abstracts 1966-2006/Nov**

(c) 2006 CSA. All rights reserved.

[File 60] **ANTE: Abstracts in New Tech & Engineer 1966-2006/Nov**

(c) 2006 CSA. All rights reserved.

[File 65] **Inside Conferences 1993-2006/Nov 20**

(c) 2006 BLDSC all rts. reserv. All rights reserved.

[File 94] **JICST-EPlus 1985-2006/Aug W1**

(c)2006 Japan Science and Tech Corp(JST). All rights reserved.

[File 95] **TEME-Technology & Management 1989-2006/Nov W2**

(c) 2006 FIZ TECHNIK. All rights reserved.

[File 99] **Wilson Appl. Sci & Tech Abs** 1983-2006/Sep

(c) 2006 The HW Wilson Co. All rights reserved.

[File 111] **TGG Natl.Newspaper Index(SM)** 1979-2006/Nov 06

(c) 2006 The Gale Group. All rights reserved.

[File 144] **Pascal** 1973-2006/Oct W5

(c) 2006 INIST/CNRS. All rights reserved.

[File 256] **TecInfoSource** 82-2006/May

(c) 2006 Info.Sources Inc. All rights reserved.

[File 434] **SciSearch(R) Cited Ref Sci** 1974-1989/Dec

(c) 2006 The Thomson Corp. All rights reserved.

?

Set	Items	Description
S1	17946	S (SHIFT??? OR MOVE OR MOVING OR MOVED) (5N) (BIT? ? OR BYTE? ?)
S2	29486	S (TERMINAL? ? OR WORKSTATION? ? OR WORK()STATION? ?) (3N) (IDENTIFIER? ? OR SERIAL? ? OR TAG? ? OR NUMBER? ? OR CODE? ?)
S3	60	S S1(10N)S2
S4	50	S S3 AND ((ACCESS??? OR USE OR USING OR USED OR UTILI?????? OR LOGON OR (LOG????()ON) OR SECURITY OR VALID?????? OR AUTHORI??????) (5N) (COMPUTER? ? OR PC? ? OR SERVER? ?)) OR (KVM? ? OR SWITCH??? OR TOGGLE? ? OR TOGGL??? OR (FLIP()FLOP????))
S5	36	S S4 NOT (PD=(19991130:20021130) OR PD=(20021201:20061120))

? show files

[File 348] **EUROPEAN PATENTS** 1978-2006/ 200646

(c) 2006 European Patent Office. All rights reserved.

**File 348: For important information about IPCR/8 and forthcoming changes to the IC= index, see HELP NEWSIPCR.*

[File 349] **PCT FULLTEXT** 1979-2006/UB=20061116UT=20061109

(c) 2006 WIPO/Thomson. All rights reserved.

**File 349: For important information about IPCR/8 and forthcoming changes to the IC= index, see HELP NEWSIPCR.*